



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION VIII

999 18th STREET - SUITE 300
DENVER, COLORADO 80202-2466

2005 APR 29 AM 10:01

Ref: 8ENF-W

APR 29 2005

CERTIFIED MAIL 7003 2260 0001 7779 1909
RETURN RECEIPT REQUESTED

FILED
EPA REGION VIII
HEARING CLERK

Honorable Gerald W. Cook, Mayor
Town of Medicine Bow
POB 156
Medicine Bow, WY 82329-0156

Re: Administrative Order Closure
Docket #8-PWS-VIII-98-23
PWS ID #5600034C

Dear Mayor Cook:

This letter is to inform you of the Environmental Protection Agency's (EPA) decision to close the Administrative Order, Docket Number 8-PWS-VIII-98-23, issued to the Town on February 13, 1998. Based on the information you have provided, EPA has determined that the Town has complied with the requirements of the Administrative Order and one year of satisfactory monitoring has been completed post treatment installation. The revised radionuclide regulations required you to complete four consecutive quarters of gross alpha particle activity, radium-226, radium-228 and uranium testing by December 31, 2007.

Please be aware that you are still required to comply with the National Primary Drinking Water Regulations (NPDWR), 40 C.F.R. Part 141. Violation of the NPDWRs or an administrative order may subject you to a court-imposed injunction and penalties of up to \$32,500 per day of violation.

Thank you for your cooperation in resolving this issue. If you have any questions related to this matter, please call Kathelene Brainich of my staff at (800) 227-8917 X6481.

Sincerely,

Lisa Kahn, Team Lead
Drinking Water Enforcement Program
Office of Enforcement, Compliance
and Environmental Justice

cc: WY DEQ (via email)
WY DOH (via email)



Printed on Recycled Paper